


# NECROPOLIS

## WALKER LEGS



### BEFORE YOU BEGIN:

**PLEASE READ THROUGH THE INSTRUCTIONS AND INSPECT THE KIT BEFORE YOU GET STARTED.**

**Tools:** You may need basic hobby tools such as a hobby knife, files, and sandpaper as well as glue to complete the assembly process.

**Glue:** We recommend using both superglue and PVA (white glue). Super glue is necessary for gluing any plastic, acrylic, or resin parts and sets very quickly. PVA gives you more working time if you need it for larger areas or for parts that need extra finesse to get lined up perfectly.

**Cleaning Parts:** The sprue points where parts were attached to the sheets can be sanded flush or carefully saved with a hobby knife. We do not recommend scaping as you would with plastic or resin models as it tends to make the MDF fray and get fuzzy. Part cleaning with a hobby knife is easiest if done before assembly, but can frequently be done after if you have files and sandpaper on hand. Where possible, we try to place sprue points in our designs to be in hidden places to avoid the need for cleaning on many parts.

**Priming:** We highly recommend priming with a FLAT enamel spray paint. Rustoleum and Krylon make these types of paint and are what we use in the studio.


**Painting:** Paint with your normal hobby and spray paints to finish your project.

Thank you so much for your purchase and please reach out if you have any questions or run into any issues.

Email us at: [support@deathraydesigns.com](mailto:support@deathraydesigns.com)  
Chat us on Facebook: [FB.com/DeathRayDesigns](https://www.facebook.com/DeathRayDesigns)



1




Gather these parts (x4)

2




Glue one detail plate on the side of each leg core making sure the slot and the front edge line up

3




Glue the other plate on the other side

4



Glue the three armor plates on the front of each as shown

5



Gather these parts

6



Glue two sides onto the top as shown






7




Glue the other two sides on as well as the bottom

8



Gather these parts

9



Glue the ring onto the plate so that the inside of the ring matches the outer square of the etching on the plate

10



Use white glue or work quickly for this step and the next. Glue three of the legs onto the flattened points around the plate from the previous step. (Photo shows bottom)

11




Glue the box from step 7 in the middle of the bottom of the plate so the corners touch the legs and put the last leg on the remaining corner.

12



The standing Legs are complete

13



Gather these parts (x4)

14



Glue one detail plate on the side of each leg core making sure the slot and the front edge line up

15




Glue the other plate on the other side

16



Glue the three armor plates on the front of each as shown

17



Gather these parts

18




Glue two sides onto the top as shown

19



Glue the other two sides on as well as the bottom

21




Glue the ring onto the plate so that the inside of the ring matches the outer square of the etching on the plate

23



Glue the box from step 19 in the middle of the bottom of the plate so the corners touch the legs

20



Gather these parts

22



Use white glue or work quickly for this step and the next. Glue three of the legs onto the flattened points around the plate from the previous step. (Photo shows bottom)

24




Put the last leg on the remaining corner

25



The Entrenched Legs are complete

26



Find the acrylic balls (x8)

27



You may wish to paint before inserting these or leave them clear, but they are intended to be glued into the holes at the top of the leg armor.